


## MSL level of optical module



### Overview

According to the JEDEC J-STD-020 standard, MSL is divided into several levels., MSL 5-6) require strict handling procedures and carry greater risks. However, it should be noted that this standard is mainly used to help IC manufacturers to confirm and define which moisture sensitivity level (MSL) their components meet. If it is the SMT of a general EMS factory, please refer to J-STD-033 to get the moisture sensitivity level, there will be a more. Moisture sensitivity level (MSL) relates to the packaging and handling precautions for some semiconductors and is a rating that shows a device's susceptibility to damage due to absorbed moisture when subjected to reflow soldering as defined in J-STD-020. This information is displayed on Figure 2 shows examples of a box label. The older, through-hole, bulkier packages absorb moisture per volume at a slower rate than the thinner, surface-mount packages of recent times. As the storage conditions after opening the moisture-proof packing, storage temperature is specified as between 5 and 30 °C, and humidity as within 30 to 60 % a day on average.



## Article Content

### Moisture Sensitivity Levels (MSL) Classifications

The Soak Requirement in the table is to specify the environmental and time conditions that the component manufacturer will be exposed to in advance to test what type of “MSL” the ...

### What Is Moisture Sensitivity Level (MSL) In Electronics?

Moisture sensitivity level (MSL) is a rating established by JEDEC for electronic components that indicates the floor life of the component and provides the maximum allowable ...

### What Is the Typical MSL Rating of a Camera Module?

Different from consumer-grade modules, the mainstream MSL level for industrial-grade and outdoor POE camera modules (such as modules supporting smart parks and outdoor ...

### Moisture Sensitivity Application Note

Microsemi tests and classifies all semiconductor devices for moisture sensitivity to ensure long-term reliability. This document describes the moisture-related failure modes, preventative test procedures, ...

### MSL Level

Moisture sensitivity level (MSL) is a standard which describes the time in which a semiconductor device can be exposed to ambient conditions. The official standard describing the different MSL levels is ...

### MSL Ratings and Reflow Profiles (Rev. A)

This application reports explains the relationship of MSL rating to the customer production floor life and surface mount reflow temperatures for TI semiconductors.

### Moisture Sensitivity Level (MSL) for Electronic Parts

Lower levels (e.g., MSL 1-2) indicate higher moisture resistance and easier management, while higher levels (e.g., MSL 5-6) require strict handling procedures and carry greater risks.

### IPC/JEDEC Moisture Sensitivity Levels (MSL)

Different package types exhibit different sensitivity levels to moisture ingress and its effects. The older, through-hole, bulkier packages absorb moisture per volume at a slower rate than the thinner, surface ...

### Moisture sensitivity level

Moisture sensitivity level (MSL) relates to the packaging and handling precautions for some semiconductors and is a rating that shows a device's susceptibility to damage due to absorbed moisture when subjected to reflow soldering as defined in J-STD-020. The MSL is an electronic standard for the time period in which a moisture sensitive device can be exposed to ambient room conditions (30 °C/85%RH at Level 1; 30 °C/60%RH at all other levels) without taking measures to retard the absorpti...

What is the MSL level of the module?|FAQ|ROHM Semiconductor

MSL level 3. The storage life from opening the moisture-proof packing to board mounting is 168 hours. As the storage conditions after opening the moisture-proof packing, storage temperature is specified ...

Moisture sensitivity level

The MSL is an electronic standard for the time period in which a moisture sensitive device can be exposed to ambient room conditions (30 °C/85%RH at Level 1; 30 °C/60%RH at all other levels) ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://budowasilesia.pl>

Email: [contact@budowasilesia.pl](mailto:contact@budowasilesia.pl)

Phone: +48 537 192 846

Address: ul. Chorzowska 45, 40-001 Katowice, Silesian Voivodeship, Poland

This document is for informational purposes only. Specifications subject to change without notice.

